

Australia

Published on Syngenta (<https://www.syngenta.com.au>)

[Home](#) > Vibrance Premium

---

## Vibrance Premium



# Vibrance Premium

Last updated:

12.03.2020

## Seedcare

Composition:

50 g/L

Fludioxonil

40 g/L

Sedaxane

Activity Group:

Group 7 Fungicide

Group 12 Fungicide

Formulation:

Suspension Concentrate for Seed Treatment | FS

For the control of seed borne Black scurf (*Rhizoctonia solani*), Silver scurf (*Helminthosporium solani*), Black dot (*Colletotrichum coccodes*), Gangrene (*Phoma exigua*), Fusarium dry rot (*Fusarium sulphureum*) and suppression of Common scab (*Streptomyces scabies*) in Potatoes in storage and at planting

## Product CP: Tabs

- [Application Advice](#)

### Mixing and spraying

VIBRANCE PREMIUM can be applied either prior to storage or just prior to planting operation as a traditional seed treatment. Complete coverage of planting material is essential for best results.

Over the table application: Apply 500 mL of VIBRANCE PREMIUM for each tonne of seed to be treated. VIBRANCE PREMIUM may be applied undiluted or diluted with water to a total volume of up to 3

L/tonne of seed treated. Use only sufficient water to give complete coverage. A purpose designed low volume atomising applicator will normally be necessary to achieve this when the throughput of seed is less than 6 tonnes/hour. The applicator should be mounted at the point of maximum seed rotation. Ensure seed is promptly and thoroughly dried after application, before planting. If necessary, dust seed with firbark after applying VIBRANCE PREMIUM to aid drying.

Application Prior to Storage: VIBRANCE PREMIUM can be applied prior to storage. Complete coverage of planting material is essential for best results. Apply 500 mL of VIBRANCE PREMIUM for each tonne of seed to be treated. VIBRANCE PREMIUM may be applied undiluted or diluted with water to a total volume of up to 3 L/tonne of seed treated. Use only sufficient water to give complete coverage. A purpose designed low volume atomising applicator will normally be necessary to achieve this when the throughput of seed is less than 6 tonnes/hour. The applicator should be mounted at the point of maximum seed rotation. Ensure seed is promptly and thoroughly dried after application, before storage. If necessary, dust seed with firbark after applying VIBRANCE PREMIUM to aid drying.

---