

Australia

Published on Syngenta (<https://www.syngenta.com.au>)

[Home](#) > Minecto Forte

---

## Minecto Forte



# Minecto Forte

Last updated:

16.07.2020

## Insecticide

Authorisation Number:

87610

Composition:

400 g/L.

Diafenthiuron

80 g/L

Cyantraniliprole

Activity Group:

Group 12A Insecticide

Group 28 Insecticide

Formulation:

Suspension Concentrate | SC

For the control of various mite and insect pests to cucurbits and fruiting vegetables.

## Product CP: Tabs

- [Application Advice](#)

## [Application Advice](#)

### Mixing and spraying

Mixing:

Measure the required amount of MINECTO FORTE, add to the partly filled spray tank, and then add the remainder of the water. Add oil or non-ionic surfactant after the MINECTO FORTE is well mixed.

Maintain continuous agitation while spraying.

**Application:**

Ground Application Only: To be effective MINECTO FORTE requires thorough spray coverage. Ensure that equipment is properly calibrated to give an even distribution at the correct volume and delivering a MEDIUM spray quality according to nozzle manufacturer specifications that refer to the ASAE S572 Standard or the BCPC Guideline.

**Compatibility:**

As formulations of other manufacturer's products are beyond the control of Syngenta Australia, and the quality of water may vary with location, all mixtures should be tested prior to mixing commercial quantities.

Wetting agents: Not all adjuvants or crop oils are of equal quality. Syngenta does not support the use of adjuvants/crop oils, other than those listed below:

- Agral® Spray Adjuvant
- Hasten™ Spray Adjuvant
- SACOA BioPest Paraffinic Oil

Cucurbits: DO NOT apply SACOA BioPest Paraffinic Oil with MINECTO FORTE in cucurbit crops as phytotoxicity may occur.

---