

Australia

Published on Syngenta (<https://www.syngenta.com.au>)

[Home](#) > Dynasty

Dynasty



Dynasty

Last updated:

03.08.2016

Fungicide

Authorisation Number:

58355/54976

Composition:

75 g/L

Azoxystrobin

37.5 g/L

Metalaxyl-M

12.5 g/L

Fludioxonil

Activity Group:

Group 4 Fungicide

Group 11 Fungicide

Group 12 Fungicide

Formulation:

Flowable Concentrate

For the control of seedling damping-off caused by *Pythium* spp. and *Rhizoctonia solani* in Cotton.

Product CP: Tabs

- [Application Advice](#)

[Application Advice](#)

Mixing and spraying

The product should be applied diluted with water in specialised seed treatment equipment. As for all such seed treatments, a good flow and metering system for the initial prepared solution is important. Depending on the type of seed treatment equipment, it may be necessary to increase the recommended amount of water slightly in order to ensure an optimal flow of the solution and an even treatment of seed.

Water volume

Fill the solution tank with the required volume of water and mix with the appropriate volume of DYNASTY. Total volumes of not less than 500 mL nor more than 1.2 L water/100 kg of seed are recommended when DYNASTY is applied alone. If additional seed treatments are applied in combination with DYNASTY a higher total application volume may be required to ensure even coverage of seed.

Tank mix lifespan

The prepared solution must be used within 1 week.
